



Evaluation of A Nursery Soil Mix Containing Municipal Bio-Solids Compost (MBSC) on the Growth of Perennials and Woody Ornamentals

Wayne J. McLaurin
Department of Horticulture - Athens
The University of Georgia

Background:

In the plant industry the use of new, high analysis fertilizers containing inorganic, slow-release materials are standard. However, with growing concern about environmental effects of inorganic fertilizer run-off, there is increased interest in the use of organic fertilizers, particularly as these fertilizers are often “slow-release” and benefit growing plants over time. These organic materials are readily available and may afford a readily useable alternative to high-cost commercial fertilizers, as well as a market advantage to some consumers.

The fertilizer used in this study came from the city of Douglas, GA. It is composed of ground wood material and bio-solids (MBSC) which have been composted.

Purpose of Study:

To determine if a municipal bio-solids compost can replace some conventional fertilizers and perform effectively as part of a conventional nursery mix.

Design of Study:

This experiment was set up as in a completely randomized block design using four replications of six plants per treatment. One-gallon containers were used for the study.

Three soil mixes were used in this study.

- 1 - Standard McCorkle's mix
- 2 - Standard McCorkle's mix plus 15% MBSC
- 3 - Standard McCorkle's mix plus 30% MBSC

Six ornamentals were planted in each replication—four herbaceous and two woody.

Agastache 'Blue Fortune'
Coreopsis grandiflora 'Sunray'
Gaura 'Corey's Gold'
Hibiscus moscheuto 'Disco Belle Pink'
Azalea Kurume 'Pink Pearl'
Loropetalum 'Sizzling Pink'

Evaluation: The 15% MSBC *Gaura* 'Corey's Gold' (Table 3) treatment produced significantly greater TDW (top dry weight) than the SM (standard mix). Also, there was no significant difference in the TDW of the SM and the 30% MBSC treatment for the *Loropetalum* 'Sizzling Pink' (Table 6). All other treatments were not significant from the SM.

Significance to the Industry: The results of this experiment indicates that MSBC may have at least limited potential for growing potted crops in the nursery industry.

Table 1. <i>Agastache</i> 'Blue Fortune' Top Dry Weight		
Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	32.7	A
30% Douglas Bio-Compost	33.4	A
Standard Mix	31.8	A

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05

Table 2. <i>Coreopsis grandiflora</i> 'Sunray' Top Dry Weight		
Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	54.4	A
30% Douglas Bio-Compost	49.1	A
Standard Mix	38.9	A

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05

Table 3. <i>Gaura</i> 'Corey's Gold' Top Dry Weight		
Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	26.3	A
30% Douglas Bio-Compost	21.2	B
Standard Mix	18.6	B

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05

Table 4. *Hibiscus moscheuto* 'Disco Belle Pink' Top Dry Weight

Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	15.0	A
30% Douglas Bio-Compost	15.9	A
Standard Mix	12.2	A

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05

Table 5. *Azalea Kurume* 'Pink Pearl' Top Dry Weight

Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	19.7	A
30% Douglas Bio-Compost	23.4	A
Standard Mix	22.9	A

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05

Table 6. *Loropetalum* 'Sizzling Pink' Top Dry Weight

Treatment	Mean Dry Weights(g)	Non-Significant Range*
15% Douglas Bio-Compost	42.4	B
30% Douglas Bio-Compost	53.2	AB
Standard Mix	55.4	A

*Numbers within columns followed by the same letter are not statistically different based upon Tukey's HSD means separation test and P=0.05